ELSEVIER

Nuclear Engineering and Design 162 (1996) 333–334

Nuclear Engineering and Design

Author Index of Volume 162

Aktas, B. and J.H. Mahaffy, A two-phase level tracking method 162 (1996) 271
Aoto K., see Ueno, F. 162 (1996) 85
Asada, Y., see Yaguchi, M. 162 (1996) 97

Banerjee, S., see Hassan, Y.A. 162 (1996) 281
Boivin, M., see Morestin, F. 162 (1996) 107
Bouche, A. and P. Delobelle Behaviour and modelization of a 17–12 SPH stainless steel under cyclic, unidirectional and bidirectional anisothermal loadings 162 (1996) 21
Brown, M.W., see Wang, C.H. 162 (1996) 75
Burtak, F., L. Hetzelt and W. Stach, Advanced mixed oxide fuel assemblies with higher plutonium contents for pressurized water reactors 162 (1996) 159

Cazzoli, E.G., see Khatib-Rahbar, M. 162 (1996) 175
Charles, I.D., see Rider, R.J. 162 (1996) 67

Delobelle, P. see Bouche, A. 162 (1996) 21
Dodds Jr., R.H., see Koppenhoefer, K.C. 162 (1996) 145

Feuser, W., E. Barnert, H. Vijgen and H. Wetzler, Investigations concerning the mechanical load on waste packages in vertical repository boreholes 162 (1996) 325

Goto T. and M. Suzuki, Analysis of transient heat conduction with phase changes by a boundary integral equation method 162 (1996) 317

Harvey, S.J., see Rider, R.J. 162 (1996) 67
Hassan, Y.A. and S. Banerjee, Implementation of a non-condensable model in RELAP5/MOD3 162 (1996) 281
Haupt, A., D. Munz, W. Scheibe, B. Schinke, R. Schmitt and V. Sklenicka, High temperature creep and cyclic deformation behaviour of AISI 316 L(N) austenitic steel and its modelling with unified constitutive equations 162 (1996) 13
Hetzelt, L., see Burtak, F. 162 (1996) 159
Hirano, M. and T. Tamakoshi, An analytical study on excitation of nuclear-coupled thermal hydraulic instability due to seismically induced resonance in BWR 162 (1996) 307
Hotta, H., see Takiguchi, K. 162 (1996) 117
Hubert, G., see Lefèvre, J.C. 162 (1996) 129
Hübel, H., Basic conditions for material and structural ratcheting 162 (1996) 55

Ishikawa, A., see Yaguchi, M. 162 (1996) 97

Kawahara, A., see Sadatomi, M. 162 (1996) 245
Khatib-Rahbar, M., A.S. Kuritzky, R. Vijaykumar, E.G. Cazzoli and W. Werner, Insights and comparisons of the level-2 results of recent probabilistic safety analyses 162 (1996) 175
Koppenhoefer, K.C. and R.H. Dodds Jr., Constraint effects on fracture toughness of impact-loaded,precracked Charpy specimens 162 (1996) 145
Kuritzky, A.S., see Khatib-Rahbar, M. 162 (1996) 175
Kyung, I.S. and S.Y. Lee, Periodic flow excursion in an open two-phase natural circulation loop 162 (1996) 233

Lee, S.Y., see Kyung, I.S. 162 (1996) 233
Lefèvre, J.C., C.H. Mitchell and G. Hubert, European fast reactor design 162 (1996) 129

Mahaffy, J.H., see Aktas, B. 162 (1996) 271
Mitchell, C.H., see Lefèvre, J.C. 162 (1996) 129
Morestin, F. and M. Boivin, On the necessity of taking into account the variation in the Young modulus with plastic strain in elastic–plastic software 162 (1996) 107
Munz, D., see Haupt, A. 162 (1996) 13

Nakamura, T., see Yaguchi, M. 162 (1996) 97
Nordmann, F., see Stutzmann, A. 162 (1996) 167

Olander, D.R., Materials chemistry and transport modeling for severe accident analyses in light-water reactors III. Fuel dissolution by molten cladding 162 (1996) 257

Pan, C., see Wu, C.Y. 162 (1996) 223
Peterson, P.F., Theoretical basis for the Uchida correlation for condensation in reactor containments 162 (1996) 301

Rider, R.J., S.J. Harvey and I.D. Charles, The application of a kinematic hardening model for assessing ratchetting in pressurized pipes 162 (1996) 67

Sadatomi, M., A. Kawahara and Y. Sato, Prediction of the single-phase turbulent mixing rate between two parallel subchannels using a subchannel geometry factor 162 (1996) 245
Sato, Y., see Sadatomi, M. 162 (1996) 245
Scheibe, W., see Haupt, A. 162 (1996) 13
Schinke, B., see Haupt, A. 162 (1996) 13
Schmitt, R., see Haupt, A. 162 (1996) 13
Sekimoto, H., see Zaki, S. 162 (1996) 205
Sklenicka, V., see Haupt, A. 162 (1996) 13
Stach, W., see Burtak, F. 162 (1996) 159
Stutzmann, A. and F. Nordmann, Studies of IGA intergranular attack/stress corrosion cracking related parameters and remedies 162 (1996) 167

Takiguchi, K. and H. Hotta, Empirical investigation on buckling and post-buckling behaviour of cell liners 162 (1996) 117
Tamakoshi, T., see Hirano, M. 162 (1996) 307

Ueno, F., K. Aoto and Y. Wada, Study on metallographic damage parameter in creep-damage-dominant condition under creep–fatigue loading 162 (1996) 85

Vijaykumar, R., see Khatib-Rahbar, M. 162 (1996) 175
Vijgen, H., see Feuser, W. 162 (1996) 325

Wada, Y., see Ueno, F. 162 (1996) 85
Wang, C.H. and M.W. Brown, On plastic deformation and fatigue under multiaxial loading 162 (1996) 75
Wang, S.B., see Wu, C.Y. 162 (1996) 223
Werner, W., see Khatib-Rahbar, M. 162 (1996) 175
Wetzler, H., see Feuser, W. 162 (1996) 324
Wu, C.Y., S.B. Wang and C. Pan, Chaotic oscillations in a low pressure two-phase natural circulation loop under low power and high inlet subcooling conditions 162 (1996) 223

Yaguchi, M., T. Nakamura, A. Ishikawa and Y. Asada, Creep–fatigue damage assessment by subsequent fatigue straining 162 (1996) 97

Zaki, S. and H. Sekimoto, Accident analysis of lead or lead–bismuth cooled small safe long-life fast reactor using metallic or nitride fuel 162 (1996) 205

ELSEVIER

Nuclear Engineering and Design 162 (1996) 335–336

Nuclear Engineering and Design

Subject Index of Volume 162

Thermal and fluid design

Analysis of transient heat conduction with phase changes by a boundary integral equation method, T. Goto and M. Suzuki 162 (1996) 317

Engineering mechanics

Energy balance of thermoelastic martensite transformation under stress, A. Chrysochoos, H. Pham and O. Maisonneuve 162 (1996) 1

High temperature creep and cyclic deformation behaviour of AISI 316 L(N) austenitic steel and its modelling with unified constitutive equations, A. Haupt, D. Munz, W. Scheibe, B. Schinke, R. Schmitt and V. Sklenicka 162 (1996) 13

Behaviour and modelization of a 17–12 SPH stainless steel under cyclic, unidirectional and bidirectional anisothermal loadings, A. Bouchou and P. Delobelle 162 (1996) 21

Determination of strain components in low-cycle multiaxial fatigue tests on tubes, B. Windelband, B. Schinke and D. Munz 162 (1996) 47

Basic conditions for material and structural ratcheting, H. Hübel 162 (1996) 55

The application of a kinematic hardening model for assessing ratchetting in pressurized pipes, R.J. Rider, S.J. Harvey and I.D. Charles 162 (1996) 67

On plastic deformation and fatigue under multiaxial loading, C.H. Wang and M.W. Brown 162 (1996) 75

Study on metallographic damage parameter in creep-damage-dominant condition under creep–fatigue loading, F. Ueno, K. Aoto and Y. Wada 162 (1996) 85

Creep–fatigue damage assessment by subsequent fatigue straining, M. Yaguchi, T. Nakamura, A. Ishikawa and Y. Asada 162 (1996) 97

On the necessity of taking into account the variation in the Young modulus with plastic strain in elastic–plastic software, F. Morestin and M. Boivin 162 (1996) 107

Empirical investigation on buckling and post-buckling behaviour of cell liners, K. Takiguchi and H. Hotta 162 (1996) 117

Constraint effects on fracture toughness of impact-loaded, precracked Charpy specimens, K.C. Koppenhoefer and R.H. Dodds, Jr. 162 (1996) 145

Materials properties

A. Haupt, D. Munz, W. Scheibe, B. Schinke, R. Schmitt and V. Sklenicka 162 (1996) 13

Behaviour and modelization of a 17–12 SPH stainless steel under cyclic, unidirectional and bidirectional anisothermal loadings, A. Bouchou and P. Delobelle 162 (1996) 21

Determination of strain components in low-cycle multiaxial fatigue tests on tubes, B. Windelband, B. Schinke and D. Munz 162 (1996) 47

Basic conditions for material and structural ratcheting, H. Hübel 162 (1996) 55

The application of a kinematic hardening model for assessing ratchetting in pressurized pipes, R.J. Rider, S.J. Harvey and I.D. Charles 162 (1996) 67

On plastic deformation and fatigue under multiaxial loading, C.H. Wang and M.W. Brown 162 (1996) 75

Study on metallographic damage parameter in creep-damage-dominant condition under creep–fatigue loading, F. Ueno, K. Aoto and Y. Wada 162 (1996) 85

Creep–fatigue damage assessment by subsequent fatigue straining, M. Yaguchi, T. Nakamura, A. Ishikawa and Y. Asada 162 (1996) 97

On the necessity of taking into account the variation in the Young modulus with plastic strain in elastic–plastic software, F. Morestin and M. Boivin 162 (1996) 107

Empirical investigation on buckling and post-buckling behaviour of cell liners, K. Takiguchi and H. Hotta 162 (1996) 117
Studies of IGA intergranular attack/stress corrosion cracking related parameters and remedies, A. Stutzmann and F. Nordmann 162 (1996) 167

Mechanical design, component fabrication and testing

Determination of strain components in low-cycle multiaxial fatigue tests on tubes, B. Windelband, B. Schinke and D. Munz 162 (1996) 47

Reactor concepts and systems analysis

European fast reactor design, J.C. Lefèvre, C.H. Mitchell and G. Hubert 162 (1996) 129

Layout of nuclear facilities

Investigatins concerning the mechanical load on waste packages in vertical repository boreholes, W. Feuser, E. Barnert, H. Vijgen and H. Wetzler 162 (1996) 325

Core physics and fuel design

Advanced mixed oxide fuel assemblies with higher plutonium contents for pressurized water reactors, F. Burtak, L. Hetzelt and W. Stach 162 (1996) 159

Nuclear safety

M. Khatib-Rahbar, A.S. Kuritzky, R. Vijaykumar, E.G. Cazzoli, U. Schmocker and W. Werner 162 (1996) 175

Thermal-hydraulics and safety

Theoretical basis for the Uchida correlation for condensation in reactor containments, P.F. Peterson 162 (1996) 301
Periodic flow excursion in an open two-phase natural circulation loop, I.S. Kyung and S.Y. Lee 162 (1996) 233
Chaotic oscillations in a low pressure two-phase natural circulation loope under low power and high inlet subcooling conditions, C.Y. Wu, S.B. Wang and C. Pan 162 (1996) 223
An analytical study on excitation of nuclear-coupled thermal hydraulic instability due to seismically induced resonance in BWR, M. Hirano and T. Tamakoshi 162 (1996) 307
Prediction of the single-phase turbulent mixing rate between two parallel subchannels using a subchannel geometry factor, M. Sadatomi, A. Kawahara and Y. Sato 162 (1996) 245
Materials chemistry and transport modelling for severe accident analyses in light-water reactors. III. Fuel dissolution by molten cladding, D.R. Olander 162 (1996) 257
Accident analysis of lead or lead–bismuth cooled small safe long-life fast reactor using metallic or nitride fuel, S. Zaki and H. Sekimoto 162 (1996) 205
A two-phase level tracking method, B. Aktas and J.H. Mahaffy 162 (1996) 271
Implementation of a non-condensable model in RELAP5/MOD3, Y.A. Hassan and S. Banerjee 162 (1996) 281